

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Before placing unit into liquid standing in bowl, compress plunger to remove any air. Then draw liquid out of bowl into cylinder by pulling up on plunger.




FIG. 1

Next lower unit until the seal contacts the opening in the bottom of the bowl.




FIG. 2

Forcefully push plunger down expelling liquid out of the cylinder. The seal expands due to greater flow than what the bottom opening can accommodate. Constraining the forced liquid to build pressure and move the clog.




FIG. 3

- Possible configurations would include
- 1) Open container without lid.
 - 2) Support "spider" to support plunger shaft.
 - 3) Snap in or screw on cap that would support plunger shaft.

40




FIG. 5




FIG. 4




FIG. 6




FIG. 7

Forcefully push plunger down expelling liquid out of the cylinder. The seal expands due to greater flow than what the bottom opening can accommodate. Compressing the forced liquid to build pressure and move the clog.





FIG. 8

Majestic L., Inc.	
PAT. NO. 1982, For: Machine, Induro 1600-2481	
DESIGNED BY: GERT J. JENSEN & LINDEN	
DATE: 12/18/2003	
Plunger Use	
PLUNGER-03	



MoJesUe
P.O. Box 13481, Fort Worth, TX 76113-0481
Tel: (817) 335-1111
Fax: (817) 335-1112
E-Mail: info@mojesue.com
Web: www.mojesue.com
Plunger
11/07/2003